

# DS Series

SINGLE OR DOUBLE SIDED

The DS Series has a small footprint and a big impact. These fireplaces are truly frameless drawing your eye straight to the flames – where the wall ends the glass begins. Available from 1.15m wide all the way up to an impressive 1.9m wide, the DS Series of ultra-wide fireplaces command attention.

The large window gives a clear view of the generous fuelbed, large flames and when double sided you can also see the room next door. And being able to flue the fireplace through the ceiling, the floor or the wall – the only limitation is your imagination.



SMART HEAT™

Control the temperature of your home with your smart phone.



TRULY FRAMELESS

Where the wall ends, the glass begins.



## DS1150

Heat output 8.5kW

Energy Efficiency\* 5 Star ★ ★ ★ ★ ★

Max Energy Input 34MJ/hr

Approx appliance size (mm) 1400w x 788h x 350d

Viewable glass (mm) 1067w x 411h

TV Clearance

200mm above fireplace minimum

Features

Truly Frameless

Powered Direct Vent

Single or

Double sided options

Zero Clearance

Smart Heat

Reflective Side Panels

Detachable Mesh Guard (optional)

DS1400

Heat output 9.5kW **\_** 

Energy Efficiency\* 5 Star ★★★★

Max Energy Input 40MJ/hr

Approx appliance size (mm) 1693w x 788h x 350d

Viewable glass (mm) 1360w x 411h

TV Clearance

200mm above fireplace minimum

Features

Truly Frameless Powered Direct Vent

Single or

Double sided options

Zero Clearance

Smart Heat

Reflective Side Panels

Detachable Mesh Guard (optional)

DS1650

Heat output 10.5kW

Energy Efficiency\* 5 Star ★★★★★

Max Energy Input 44MJ/hr

Approx appliance size (mm) 1986w x 788h x 350d

Viewable glass (mm) 1653w x 411h

TV Clearance

200mm above fireplace minimum

Features

Truly Frameless Powered Direct Vent

Single or

Double sided options

Zero Clearance

Smart Heat

Reflective Side Panels

Detachable Mesh Guard (optional)

DS1900

Heat output 10.5kW

Energy Efficiency\* 3 Star ★★★

Max Energy Input 49MJ/hr

Approx appliance size (mm) 2277w x 869h x 350d

Viewable glass (mm) 1943w x 411h

TV Clearance 200mm above fireplace min

Features

Truly Frameless

Powered Direct Vent

Single or

Double sided options

Zero Clearance

Smart Heat

Reflective Side Panels

Detachable Mesh Guard (optional)

## Fascia Options

Bevelled Lite

edge to frame the

DS1150: 1144w x 485h x 35d

Frameless

A subtle single bevelled fireplace.

Fascia sizes (mm)

Being frameless lets the

DS1400: 1435w x 485h x 35d DS1650: 1730w x 485h x 35d

wall itself be the work of art.

Fascia sizes (mm)

DS1150: 1067w x 411h DS1400: 1359w x 411h DS1650: 1653w x 411h

Linear Trim

An optional plaster board finishing trim, with clean lines keeps this frame minimal.

Fascia sizes (mm)

DS1150: 1112w x 456h DS1400: 1404w x 456h DS1650: 1698w x 456h

#### Fuelbed Options





(Large)



White Coals

(Large)

White Crystalight





NZ River Rock (Large)



Woodland Selection



Driftwood on any Crystalight

<sup>\*</sup>May vary depending on flue or gas type.



MULTIROOM | SINGLE OR DOUBLE SIDED

The DX Series combines dramatic flame action with Escea's Heat Ducting Technology, which provides heat into several rooms and evenly distributes within the same room. With its minimalist aesthetic, the DX Series works with any interior style and their effect grows exponentially when they're double sided.

Reflective side panels give the appearance of an even wider fireplace and add to the infinite flame effect.

Customise the look of your fireplace by choosing between a variety of different fuelbeds and frames.



SMART HEAT™

Control the temperature of your home with your smart phone.



MULTIROOM

Duct heat from the fireplace to multiple vents throughout your home.



#### DX1000

Heat output 8.4kW

Energy Efficiency\* 5 Star ★★★★

Max Energy Input 33MJ/hr

Approx appliance size (mm) 1328w x 794h x 382d

Viewable glass (mm) 1062w x 360h

TV Clearance

230mm above fireplace minimum

Features

Single or Double Sided Powered Direct Vent

Ducted Heat Double Sided Zero Clearance Smart Heat

Reflective Side Panels

Detachable Mesh Guard (optional)

\*May vary depending on flue or gas type.

#### DX1500

Heat output 10.4kW

Energy Efficiency\* 5 Star ★★★★

Max Energy Input 40MJ/hr

Approx appliance size (mm) 1828w x 794h x 382d

Viewable glass (mm) 1562w x 360h

TV Clearance

230mm above fireplace minimum

Single or Double Sided Powered Direct Vent Ducted Heat Double Sided Zero Clearance Smart Heat

Reflective Side Panels

Detachable Mesh Guard (optional)

#### Fascia Options

All DX Series fascias are available for both single or double sided fireplaces.

Bevelled Lite

A subtle single bevelled edge to frame the fireplace.

Titanium Silver

Volcanic Black

White Crystalight

White Coals

(Small)

Fascia sizes (mm) DX1000: 1130w x 430h 40d DX1500: 1630w x 430h 40d Frameless

Being frameless lets the wall itself be the work of art.

Fascia sizes (mm) DX1000: 1357w x 410h DX1500: 1560w x 360h Linear Trim

An optional plaster board finishing trim, with clean lines keeps this frame minimal.

Volcanic Black

Fascia sizes (mm) DX1000: 1085w x 387h DX1500: 1583w x 387h

#### Fuelbed Options



Black Crystalight



Black Coals (Small)



Driftwood on any Crystalight




Woodland Selection



NZ River Rock (Small)









#### **DL850**



Heat output 9.2kW

Energy Efficiency\*

5 Star ★★★★

Max Energy Input 38MJ/hr

Approx appliance size (mm) 959w x 560h x 518d

Viewable glass (mm) 734w x 296h

TV Clearance

590mm above fireplace minimum

Features

Powered Direct Vent Zero Clearance

Smart Heat (optional) Reflective Side Panel (optional)

Wire Mesh Screen (optional in NZ)

\*May vary depending on flue or gas type.

#### DL1100



Heat output

10.4kW

Energy Efficiency\* 5 Star ★★★★

Max Energy Input

43MJ/hr

Approx appliance size (mm)

1259w x 560h x 518d

Viewable glass (mm) 1034w x 296h

TV Clearance

590mm above fireplace minimum

Features

Powered Direct Vent

Zero Clearance

Smart Heat (optional)

Reflective Side Panel (optional)

Wire Mesh Screen (optional in NZ)

## Fascia Options



A bevelled frame set.

Titanium Silver

Volcanic Black

Fascia sizes (mm) DL850: 1060w x 635h x 40d DL1100: 1360w x 635h x 40d



A square edged frame.

Titanium Silver

Fascia sizes (mm) DL850: 995w x 585h x 40d

DL1100: 1290w x 585h x 40d



A wall recessed frame.

Titanium Silver

Volcanic Black

Inset

Fascia sizes (mm) DL850: 995w x 580h x 50d

DL1100: 1285w x 580h x 50d

NOTE: Inset fascias require a different cavity/wall construction. See installation manual for further information.

#### Fuelbed Options



Black Crystalight



White Crystalight



Driftwood on any Crystalight



Volcanic Black

NZ River Rock (Large)




Black Coals (Large)



White Coals (Large)





With its compact size and flexible installation, the DF Series is Escea's most versatile range of gas fireplaces. The DF700, with its smaller dimensions, is perfect for retrofitting into existing cavities. Both the DF700 and DF960 also work well in new builds, thanks to their contemporary style and Powered Direct Vent flue technology, which allows you to put the fireplace anyplace.

A design feature of the DF Series is the raised fuelbed which accentuates the flame pattern. The minimalist frame highlights the big flames even further.



SMART HEAT™

Control the temperature of your home with your smart phone.



POWERED DIRECT VENT

Fan-forced airflow for ease of install and design freedom.









#### DF700



Heat output 5.9kW

Energy Efficiency\*
5 Star ★★★★

Max Energy Input 25MJ/hr

Approx appliance size (mm) 692w x 566h x 387d

Viewable glass (mm) 592w x 392h

TV Clearance

200mm above fireplace minimum

Features

Powered Direct Vent Zero Clearance

Smart Heat (optional)

Suitable for Retrofit

\*May vary depending on flue or gas type.

#### DF960



Heat output 7.7kW

Energy Efficiency\*
5 Star ★ ★ ★ ★

Max Energy Input 31MJ/hr

Approx appliance size (mm) 942w x 566h x 402d

Viewable glass (mm) 842w x 392h

TV Clearance

200mm above fireplace minimum

Features

Powered Direct Vent
Zero Clearance
Smart Heat (optional)

## Fascia Options

Slim

A flat frame that sits flush with your wall.

Titanium Silver

Volcanic Black

Stainless Steel

Fascia sizes (mm)
DF700: 711w x 593h x 2d
DF960: 961w x 593h x 2d

Stretch

A wider flat frame that sits flush with your wall.

Titanium Silver

Volcanic Black

Titanium Silver

Volcanic Black

Edge

With Optional SuperFine Mesh

A statement frame sitting proud of the wall

with optional SuperFine mesh gaurd.

Stainless Steel

Fascia sizes (mm)
DF700: 761w x 632h x 2d
DF960: 1011w x 632h x 2d

Fascia sizes (mm)

DF700: 745w x 639h x 34d DF960: 995w x 639h x 34d

### Fuelbed Options



Black Coals

(Small)

Logs



NZ River Rock (Small)

# DFS730 FREESTANDING

The freestanding DFS730 is designed as a modern gas fireplace replacement for an existing freestanding woodburner, or for installing into a room where you do not have enough wall space for an inbuilt fireplace.

This sleek black fireplace fits into tight spaces, and it has a large glass window for maximum flame viewing. The beauty of gas is that you get the same flame and same heat as your old woodburner, without the mess or fuss. The Powered Direct Vent flue system draws air from outside the home into a sealed unit, keeping your home free of moisture and fumes.



#### SMART HEAT™

Control the temperature of your home with your smart phone.




#### POWERED DIRECT VENT

Fan-forced airflow for ease of install and design freedom.





#### DFS730



Heat output

5.9kW **\_** 

Energy Efficiency\*
5 Star ★★★★

Max Energy Input 25MJ/hr

Approx appliance size (mm) 756w x 753h x 506d

Viewable glass (mm) 592w x 392h

Features

Powered Direct Vent Cool-touch Body Smart Heat (optional)

\*May vary depending on flue or gas type.

## Side Panel Options





# Fuelbed Options







E TO

NZ River Rock (Small)

# Features



#### Powered Direct Vent

Our Powered Direct Vent flue technology achieves greater efficiencies and allows flues up to 12m in length which can be run horizontally or vertically. Flues can finish either on a roof or outside wall and can even be run under a floor. It uses outside air for combustion rather than room air and is a completely sealed system unaffected by other appliances such as extractor fans. With no fumes coming in and no hot room air going out, you can keep warmer and healthier.

This innovation also gives you the flexibility to put the fireplaces wherever you like, without the need for cavities or even walls to install. Another benefit of Power Flue is joinery-friendly Zero Clearance installation. The key is the fan-forced airflow, which allows you to install the flues in any direction, making even the most complex flue run possible.

Available on all indoor fireplaces.





Through-floor

Between-floors

Through-wall

24 25

Through-roof

# Features

Continued ...

#### Multiroom Heat Ducting

Multiroom, Escea's Heat Ducting Technology, captures up to 90% of the available heat and carries it throughout the house via ceiling and floor vents. The ducting technology allows you to provide heat to more than one room in your home.

Available on: DX1500, DX1000





#### Smart Heat

When connected to your home network our Smart Heat system lets you turn on your fire through your Smart Phone or any secure internet connection and integrates with most Home Automation systems. It keeps the room at the temperature you select and continuously adjusts to ensure the most efficient burn – which is what we mean by Smart Heat.

Available on all indoor fireplaces.

# Design your fireplace

Undecided on which fascia or fuel bed suits your home?
Escea's Design Your Fire online tool lets you try on and compare the different fireplace, fascia, fuel bed and wall combinations.

escea.com/designyourfire







New Zealand River Rock Coals - Large The flecked, earth tones give a modern appearance. DL Series, DS Series, EF5000



New Zealand River Rock Coals - Small
The flecked, earth tones give a modern appearance.
DX Series, DF Series, DFS730



Logs Traditional log set. DS Series, DF Series, DFS730



Woodland Selection
Composed of branches, pine cones, and shale.
DX Series, DS Series



Black Coals - Large
A traditional coal effect to contrast the flames.
DL Series, DS Series, EF5000



Black Coals - Small
A traditional coal effect to contrast the flames.
DX Series, DF Series, DFS730



Black Crystalight
Black glass which contrasts against the golden flames.
DX Series, DS Series, DL Series



White Crystalight
White tempered glass for enhancing the flame.
DX Series, DS Series, DL Series



White Coals - Large
The elemental-inspired coals in a white colour.
DL Series, DS Series, EF5000



White Coals - Small
The elemental-inspired coals in a white colour.
DX Series



Driftwood

A combination of light wood and black or white crystalight.

DX Series, DS Series, DL Series



DL Series Logs Traditional log set for the DL Series only. DL Series

# Outdoor Fireplaces

Fireplaces have a mesmerising quality - people love sitting around them and watching the flames flicker. An outdoor fireplace means you can entertain late into the night, creating a dramatic focal point, that's warm and inviting for all.

Visit escea.com to see more about the range of Outdoor Fireplaces.

EK Series
Outdoor Fireplace Kitchen



The ultimate outdoor cooking fire, the EK Series comes equipped with everything you need to make a smoky meat lover's feast.

Available Models\*:

950mm, 1250mm, 1550mm

EP1350 Outdoor Fire Table



Inspired by the classic campfire, the Fire Table is made for 360° social cooking.

Approx Appliance Size: 1350w x 705h mm

EF5000 Outdoor Gas Fireplace



At the touch of a button the EF5000 gives you a quick heat and ambience, so you can get down to the business of relaxing.


Approx Appliance Size:  $1000w \times 579h \times 320d mm$ 

EW5000 Outdoor Wood Fireplace



An outdoor wood fireplace with cooking grill that easily transitions from barbecue to night-time companion.

Approx Appliance Size: 996w x 758h x 489d mm



<sup>\*</sup>Model width is an approximate indication. For accurate sizes, view the full product specs on escea.com

# Fireplace specs

FIREPLACE	SIZE	ENERGY & EFFICIENCY			AES	AESTHETIC OPTIONS			FEATURES				
	Approximate Appliance Size	Viewable Glass / Flame Area (mm)	Cavity size*	Energy Input	Heat Output	Star Rating**	Fuelb	peds	Fascia Options	Heat Ducting	Reflective Panels	Wire Mesh Front	Zero Clearance
DX1000	1328w x 794h x 382d	1062w x 360h	1400w x 800h x 450d	33MJ/hr	8.4 kW	5	Cryst	talight, Woodland, Coals, Driftwood	Frameless, Bevelled Lite, Linear Trim	Yes	Yes	Optional	Yes
DX1500	1828w x 794h x 382d	1562w x 360h	1900w x 800h x 450d	40MJ/hr	10.4 kW	5	Cryst	talight, Woodland, Coals, Driftwood	Frameless, Bevelled Lite, Linear Trim	Yes	Yes	Optional	Yes
DS1150	1400w x 788h x 350d	1067w x 411h	1408w x 850h x 364d	34MJ/hr	8.5kW	5	Cryst	talight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1400	1693w x 788h x 350d	1360w x 411h	1700w x 850h x 364d	40MJ/hr	9.5kW	5	Cryst	talight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1650	1986w x 788h x 350d	1653w x 411h	1994w x 850h x 364d	44MJ/hr	10.5kW	5	Cryst	talight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1900	2277w x 869h x 350d	1943w x 411h	2452w x 928h x 364d	49MJ/hr	10.5kW	3	Cryst	talight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DL850	959w x 560h x 518d	734w x 296h	965w x 565h x 565d	38MJ/hr	9.2kW	5	Cryst	talight, Coals, Logs, Driftwood	Bevelled, Inset, Squared Lite		Optional	Optional	Yes
DL1100	1259w x 560h x 518d	1034w x 296h	1265w x 565h x 565d	43MJ/hr	10.4kW	5	Cryst	talight, Coals, Logs, Driftwood	Bevelled, Inset, Squared Lite		Optional	Optional	Yes
DF700	692w x 566h x 387d	592w x 392h	695w x 600h x 405d	25MJ/hr	5.9kW	5	Logs,	, Coals	Slim, Stretch, Edge				Yes
DF960	942w x 566h x 402d	842w x 392h	945w x 600h x 420d	31MJ/hr	7.7kW	5	Logs,	, Coals	Slim, Stretch, Edge				Yes
DFS730	756w x 753h x 506d	592w x 392h	N/A	25MJ/hr	5.9kW	5	Logs,	, Coals					Yes

All Escea indoor gas fireplaces come with a wireless remote (thermostat and timer integrated), and are equipped with Escea's mobile Smart Heat capability. Note, indoor fireplaces require a wired connection to your internet router for Smart Heat to function. This cable is included only on DX and DS Series fireplaces, but is an optional extra across the full indoor range.

 $<sup>^*</sup>$ Cavity size may vary depending on installation requirements or fascia type. See installation manual for more information.

<sup>\*\*</sup>May vary depending on flue or gas type.

#### **AUTHORISED DEALER**





For warranty conditions visit www.escea.com/warranty

Design Escea ©2019

. . . .

Number: NZ RV11.1

www.escea.com

MANUFACTURER & NEW ZEALAND DISTRIBUTOR

Escea Ltd
17 Carnforth Street,
Green Island, Dunedin 9018,
New Zealand.
Ph +64 3 478 8220
Email: info@escea.com

#### **AUSTRALIAN DISTRIBUTOR**

Escea Australia Pty Ltd
PO Box 176
Pennant Hills, Sydney
NSW 1715
Email: australia@escea.com
Western Australia phone: 1800 730 140
Rest of Australia phone: 1800 460 832

#### **DISCLAIMER**

Due to ongoing product development, Escea reserves the right to change any specifications listed in this brochure without notice. Escea promotional images are of real products, but fireplace appearance may vary due to printing limitations and environmental factors, and flame pattern may vary depending on gas type.







